

SAI3644B



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Electric
Induction
8017709305567




Aesthetics



| | |
|-------------------------|----------------------------------|
| Aesthetic | Universale |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass type | Ceramic |
| Glass edge | Angled edge |
| Type of control setting | Touch control back-lighted White |
| Slider | Yes |
| Control knob position | Front |
| Serigraphy colour | Grey |

Programs / Functions



| | |
|-----------------------------------|--------------------|
| Total no. of cook zones | 4 |
| No. of induction cook zones | 4 |
| Time-setting options | Automatic Shutdown |
| No. of cooking zones with booster | 4 |
| No. of Flexible zones | 2 |
| Main on/off switch | Yes |
| Power levels | 9 |
| Auto-vent 2.0 | Si |

Options



| | | | |
|-------------------------------------|--------------------|--|--|
| Multizone Option | Yes | End of cooking alarm | Yes |
| Flexible Zone Type | MultiZone | Residual time indicator | Yes |
| Standard cut out | 478-482x555-560 mm | Limited Power Consumption Mode | Advanced Eco Logic |
| Multizone Option | Yes | Limited Power Consumption Mode in W | 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 7400 W |
| Multizone Option | Yes | Showroom Demo Option | Yes |
| Keep warm automatic function | Yes | Control Lock / Child Safety | Yes |
| Grill function | Yes | Bridge option | Yes |
| End cooking timer | 4 | Quick start | Yes |
| Pause option | Yes | Rapid level selection | Yes |
| Minute minder | 1 | | |

Technical Features




Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm
 Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm
 Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm
 Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm
 Multizone left - Booster 3.70 kW - 38.5x23.0 cm
 Multizone right - Booster 3.70 kW - 38.5x23.0 cm

| | | | |
|--|-----|---|-----|
| Automatic setting according to pan dimension | Yes | Automatic switch off when overflow | Yes |
| pan detection | Yes | Residual heat indicator | Yes |
| Permanent Automatic Pot Detection with indication of the relative control | Yes | Protection against accidental start up | Yes |
| Automatic switch off when overheat | Yes | | |

Electrical Connection

| | | | |
|---|-----------|--|------------------------------|
| Electrical connection rating (W) | 7400 W | Type of electric cable | Single and Double phase |
| Current | 33 A | Type of electric cable supplied | Yes, Single and Double phase |
| Voltage (V) | 220-240 V | Frequency (Hz) | 50/60 Hz |
| Voltage 2 (V) | 380-415 V | | |



Not included accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



TPKPLATE


























Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper

Symbols glossary (TT)

| | | | |
|--|--|---|--|
|  | Automatic merge of zones for a bigger area |  | ... |
|  | Power booster: option allows the zone to work at full power when very intense cooking is necessary. |  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |
|  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |  | The slider control panel allows you to adjust the power simply by passing your finger across the touch device. |
|  | CUT_OUT_STANDARD_72dpi |  | Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically. |
|  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |  | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob. |
|  | ... |  | ... |
|  | Additional maximum power level for a better energy consumption |  | Darkness becomes light |
|  | Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility |  | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids. |
|  | PAUSE_72dpi |  | Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth). |
|  | Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached. |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |
|  | Time elapsed: shows how long the cooking zone has been in use. |  | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time. |
|  | TWIN_ZONE_72dpi |  | ... |
|  | Evolution Slider totally Back-lighted ghost effect | | |