


 **Speed Queen®**



tested to outlast

TRADITIONAL TOP LOAD WASHER & DRYER



AWNA62 - WASHER


- 8.5 kg
- Fast 37 min normal wash cycle
- 210 deg agitation at 68 stokes per minute provide a superior washing result
- Heavy-duty, all metal Eversmooth transmission has only six moving parts for long lasting, durable performance
- Stainless Steel inner and Porcelain Steel outer bowl (Lifetime parts warranty against rust and corrosion)
- Programs include: Normal, Permanent Press and Delicate
- Additional options include: High Efficiency, Rinse & Spin and Spin only
- 10 Amp power required (Standard power point)

ADE3TR (ELECTRIC) / ADG3TR (GAS - N / LP) - DRYER

- 9 kg
- Performance vented drying (35-180 min, load type and model dependent)
- Whisper quiet, superior airflow of 85 litres per second results in faster drying with less wear and creasing of clothes
- Three temperature settings and auto dry feature ensure the dryer does not over dry items, therefore saving time, energy and money
- Choice between: Time dry, Automatic dry, Permanent press and Automatic dry Delicate
- Standard: 10 Amp / Quick Dry: 20 Amp / Super Quick Dry: Nat/LP Gas



TOUCH TOP LOAD WASHER & DRYER



AWNE92 - WASHER

- 8.5 kg
- Fast 37 min normal wash cycle, with a quick wash of 33 min
- 210 deg agitation at 68 stokes per minute provide a superior washing result
- Heavy-duty, all metal Eversmooth transmission has only six moving parts for long lasting, durable performance
- Stainless Steel inner and Porcelain Steel outer bowl (Lifetime parts warranty against rust and corrosion)
- Programs include: Heavy Duty, Whites, Eco, Bulky, Delicates and Favourites
- Additional options include: Pre Wash, Extra Rinse, Soak and Delay Start

ADEE9RW (ELECTRIC) / ADGE9RW (GAS - N / LP) - DRYER

- 9 kg
- Performance vented drying (35-180 min, load type and model dependent)
- Whisper quiet, superior airflow of 85 litres per second results in faster drying with less wear and creasing of clothes
- Four temperature settings and auto-sensing feature ensure the dryer does not over dry items, therefore saving time, energy and money
- 8 Drying cycles, favourite options, dryness and temperature selection, additional features such as Anti-wrinkle, Eco Dry and Signal finish
- Standard: 10 Amp / Quick Dry: 20 Amp / Super Quick Dry: Nat/LP Gas






TRUSTED, RELIABLE, DURABLE, QUICK

At Speed Queen, cutting edge technology meets craftsmanship that has been refined for over a century. Quality comes first. We don't skimp on components or cut corners in design and engineering. We plan, we test, and we build our machines with commercial grade metal parts that are proven to last 10,400 cycles, or 25 years' worth of laundry in the average home, so you know you're getting the quality, durable product, generations of people have come to know and love.

Locally connected - We have offices in Sydney, Melbourne, Brisbane and Perth with a network of over a 1000 sales and service partners nationally. If you require any further information on our Speed Queen range please visit www.speedqueen.com.au or call 1300washer (1300 927 437).

PLATINUM RANGE FRONT LOAD WASHER & DRYER



AFNE9BSS - WASHER


- 10 kg
- Stainless Steel inner and outer bowl
- Maximum spin speed 1,200 rpm
- Door opens 180° for easy loading and unloading
- 440 G-force extraction: removes more moisture and minimizes drying times and utility costs
- Programs Include: Heavy Duty, Whites, Bulky, Delicates and Favourites
- Additional options include: Pre Wash, Extra Rinse, Soak and Delay Start
- Extra rinse mode / 10 Preset cycles / Quick wash cycle just 24 minutes
- 4 Spin speeds / 4 Soil levels
- 4 Compartment dispenser / 4 Water temperatures

ADEE9BSS (ELECTRIC) / ADGE9BSS (GAS - N / LP) - DRYER

- 9 kg
- Performance Vented Drying 35-90 min
- Large, easy-to-clean lint compartment
- Largest door opening in the industry for easy loading and unloading with a Stainless Steel Drum
- Internal light and Reversible door hinge
- 8 Drying cycles
- 4 Drying temperature modes and 4 dryness modes
- Anti-wrinkle and Eco Dry modes
- 20 Amp: Electric or Gas: Natural / LP



**TOUCH
FRONT LOAD WASHER & DRYER**




AFNE9B - WASHER

- 10 kg
- Stainless Steel inner and outer bowl
- Maximum spin speed 1,200 rpm
- Door opens 180° for easy loading and unloading
- 440 G-force extraction: removes more moisture and minimises drying times and utility costs
- Programs Include: Heavy Duty, Whites, Bulky, Delicates and Favourites
- Additional options include: Pre Wash, Extra Rinse, Soak and Delay Start
- Extra rinse mode / 10 Preset cycles / Quick wash cycle just 24 minutes
- 4 Spin speeds / 4 Soil levels
- 4 Compartment dispenser / 4 Water temperatures


ADEE8B (ELECTRIC) / ADGE8B (GAS - N / LP) - DRYER

- 9 kg
- Performance vented drying 35-90 min
- Whisper quiet, superior airflow of 85 litres per second results in faster drying with less wear, and less wear and creasing of clothes
- Three temperature settings and auto dry feature ensure the dryer does not over dry items, therefore saving time, energy and money
- Colour bonded Galvanised Drum. Three-coat, commercial grade steel cabinet will look good for years to come
- 6 Drying cycles, dryness, temperature selection and signal finish
- Quick Dry: 20 Amp / Super Quick Dry: Nat/LP Gas



PROVEN PERFORMANCE HALF THE SPACE

STACKED WASHER/DRYER



When space is at a premium, Speed Queen stacked washer/dryers offer the perfect solution. This convenient design allows double the capacity in the space of one machine while sacrificing nothing in performance and wash/dry quality. Designed for ultimate user convenience, these two-in-one stacked space savers also conveniently locate controls for both washer and dryer in the middle of the machine for easy access and operation.



ATEE9A (ELECTRIC) / ATGE9A (GAS) - WASHER

- 10 kg
- Stainless Steel inner and outer bowl / Maximum spin speed 1,200 rpm
- Door opens 180° for easy loading and unloading
- 440 G-force extraction: removes more moisture and minimizes drying times and utility costs
- Programs Include: Heavy Duty, Whites, Bulky, Delicates and Favourites
- Additional options include: Pre Wash, Extra Rinse, Soak and Delay Start
- Extra rinse mode / 10 Preset cycles / Quick wash cycle just 24 minutes
- 4 Spin speeds / 4 Soil levels / 4 Water temperatures
- 4 Compartment dispenser

ATEE9A (ELECTRIC) / ATGE9A (GAS) - DRYER

- 9 kg
- Performance vented drying 35-90 min
- Large, easy-to-clean lint compartment
- Largest door opening in the industry for easy loading and unloading in a colour bonded Galvanised Drum
- Internal light
- 8 Drying cycles
- 4 Drying temperature modes and 4 dryness modes
- Anti-wrinkle and Eco Dry modes
- Quick Dry: 20 Amp / Super Quick Dry: Nat/LP Gas



TECHNICAL SPECIFICATIONS CALL 1300WASHER (1300 927 437) FOR MORE INFORMATION

SPEED QUEEN WASHING MACHINES - HOME RANGE		
MODEL NUMBER	TOP LOAD - TRADITIONAL AWNA62 TOP LOAD - TOUCH AWNE92	FRONT LOAD - AFNE9B / AFNE9BSS STACK - ATEE9A - ELECTRIC / ATGE9A - GAS
Wash Capacity	8.5 kg	10 kg
Dimensions (H X W X D)	1092 X 651 X 711mm	1027 X 683 X 704mm / Stack - 1986 X 683 X 704mm + 40mm door
Operating Clearances Required	Rear 60mm	Side 38mm / Rear 60mm / Stack requires 150mm top clearance
Shipping Dimensions (H X W X D)	1156 X 700 X 780mm	1156 X 732 X 832 mm / Stack - 2032 X 760 X 860mm
Shipping Weight	89 kg	Front Load - 122 kg / Stack - 193 kg
Spin Speed (RPM)	710 / 473 rpm	1200 / 800 / 400 rpm / No Spin
Motor Size - Watts	375 W	750 W (Variable Speed)
WELS Rating / Water Consumption	3 Star / 117 L	3 Star / 126 L
Water Temperature Selection	AWNA62 - 3 / AWNE92 - 4	4
Wash Bowl	Stainless	Stainless
Outer Wash Bowl	Porcelain Steel	Stainless
Electrical Requirements	240 V / 50 HZ AC / Single Phase	240 V / 50 HZ AC / Single Phase
Operating Water Pressure Required	138 - 830 KPA	138 - 830 KPA
Drain hose connection heights Min - Max	610 - 914mm Upstand	610 - 914mm Upstand
Drain hose diameter*	40mm	40mm
Automatic Balancing System	Yes	Yes

*Washing machine drain hose cannot be connected to any drainage system smaller than 30mm.

SPEED QUEEN DRYERS - HOME RANGE		
MODEL NUMBER	ADE3TR-10AMP / ADEE9-10AMP - ELECTRIC ADE3TR-20AMP / ADEE9R-20AMP - ELECTRIC ADG3TR / ADGE9R - GAS: NAT / LP	TOUCH / PLATINUM / STACK ADEE8B / ADEE9B / ATEE9A - ELECTRIC ADGE8B / ADGE9B / ATGE9A - GAS: NAT / LP
Dryer Controls	Rear Control	Front Control
Drying Capacity	9 kg	9 kg
Dimensions (H X W X D) With leveling legs turned in to base	1092 X 683 X 711mm	1027 X 683 X 711mm / Stack - 1986 X 683 X 704mm
Shipping Dimensions (H X W X D)	1156 X 737 X 832mm	1156 X 760 X 860mm / Stack - 2032 X 760 X 860mm
Shipping Weight	65 kg	Single Dryer - 73 kg / Stack - 193 kg
Dryer Type*	Vented Dryer	Vented Dryer
Exhaust Vent Size	102mm	102mm
Venting exhaust direction Options - (May incur additional charges)	Electric - rear, left, right & down / Gas - rear, right & down	Electric - rear, left, right & down / Gas - rear, right & down
Venting exhaust direction Options - STACK (May incur additional charges)		Electric - rear, left & right / Gas - rear & right
Dryer door Width	525mm	525mm
Dryer door Hinge	Reversible	Reversible (excluding Stack models)
Heating Type	Electric or Gas	Electric or Gas
Electrical Requirements	240 V / 50 HZ AC / Single Phase	240 V / 50 HZ AC / Single Phase
Dryer breaker size	10 or 20 AMP - Electric / 10 AMP - Gas	20 AMP - Electric / 10 AMP - Gas
Heating Element**	20 AMP - 4,000 W / 10 AMP - 1,900 W	20 AMP - 4,000 W
Gas Consumption MJ***	21.9 MJ - Gas	21.9 MJ - Gas
Gas Inlet Connection***	3/8 NPT	3/8 NPT
Australian Gas Approval***	Yes	Yes
Shoe Dryer Rack - Part # 512082	Optional	Optional


KEY *All Speed Queen dryers need to be vented to atmosphere (vented outside), please contact 1300 927 437 for venting solutions.

**Electric Models.


***Gas Models Only.

****Max ducting length 19.8mtr, reducing by 3mtrs for each 90deg bend.


TOP LOAD




REAR CONTROL DRYER



FRONT LOAD



FRONT CONTROL DRYER



PLEASE CALL 1300WASHER IF YOU REQUIRE A SCHEMATIC OF THE SPEED QUEEN STACK WASHER/DRYER.